

Medical Journal of Indonesia

- ✓ Editorial
- ✓ Hypoxia in immunized mice lymphocytes
- ✓ MCV molecular survey in colorectal cancer
- ✓ Rifampicin resistance in leprosy
- ✓ Early mannitol in brain edema
- ✓ HemoCue against Coulter LH-750
- ✓ Sperm motility on pregnancy after varicocele
- ✓ Cost-effectiveness: aspirin with clopidogrel or ticagrelor
- ✓ Anxiety and depression in caregivers of HD patients
- ✓ Serum IgE levels among asthma patients
- ✓ Aquatic vs land-based exercise in obese with OA
- ✓ Albendazole in anemic children with STH
- ✓ *Acanthamoeba* keratitis with atypical presentation
- ✓ β -tubulin gene of *A. lumbricoides* and *T. trichuria*



<http://mji.ui.ac.id>

Published by the Faculty of Medicine Universitas Indonesia
Official Scientific Journal of the Faculty of Medicine Universitas Indonesia
in collaboration with German-Indonesia Medical Association (DIGM)
Jl. Salemba Raya No. 6 Jakarta 10430
Telp. +62-811-400-115



Focus and Scope

Medical Journal of Indonesia (abbr: Med J Indones) accepts manuscript in basic medical research, clinical research, community research, case report, review article, and brief communication. The journal publishes articles in health sciences (medicine; public health); biology and life sciences (biomedical sciences).

About

The Medical Journal of Indonesia was founded in 1992 as the Medical Journal of the University of Indonesia (abbr: Med J Univ Indon). It has been published quarterly consistently and continuously ever since, covering a wide range of medical subject and issues from every medical specialist aspect. In 1995 the name was changed to Medical Journal of Indonesia which reflected the widening of its coverage beyond. The mission of this journal is to provide biomedical scientists clinician researchers, public health researchers and other health care professional with the media to publish their research works.

Peer Review Process

The submitted manuscript will be checked by the staff whether the requirements are complete in seven days. Authors will be given two weeks after notification is sent to complete them. Failure to complete will make the manuscript rejected without being reviewed. After the requirements is complete, it will be firstly reviewed by an editor. It will be evaluated in the office whether it is suitable with our focus and scope or has a major methodological flaw. Every submitted manuscript which pass this step will be checked by CrossCheck to identify any plagiarism before being reviewed by two reviewers. One of the reviewer is appointed from other institutions (national or international). This journal uses double-blind review, The manuscript will be sent to the reviewer anonymously. Reviewers' comment are also sent anonymously to corresponding author to take the necessary actions and responses. The decision of the revised manuscript will be then evaluated in editorial board meeting, the final decision of whom are sent to the corresponding author.

Publication Frequency

This journal is published quarterly.

Open Access Policy

This journal is an open access journal which provides immediate, worldwide, barrier-free access to the full text of all published articles without charge readers or their institutions for access. Readers have right to read, download, copy, distribute, print, search, or link to the full texts of all articles in Medical Journal of Indonesia.

Abstracting and Indexing

Academic Journals Database; Academic Search Complete - EBSCOhost; Asean Citation Index (ACI); Bielefeld Academic Search Engine (BASE); CAB Abstracts; CiteFactor; China Knowledge Resources Integrated Database (CNKI); Directory of Open Access Journal (DOAJ); Directory of Research Journal Indexing (DRJI); Electronic Journals Library; Embase - Elsevier; Emerging Sources Citation Index - Thomson Reuters; Global Health; Google Scholar; Hinari - WHO; Index Medicus for South East Asia Region (IMSEAR); Indonesian Scientific Journal Database (ISJD); Indonesian Publication Index (IPI); Islamic World Science Citation Centre (ISC); JournalTOCs; PKP Index; Proquest Health & Medical Complete; Scilit - MDPI; Scopus - Elsevier; Ulrichsweb Global Serial Directory; WorldCat.

Advertising Policy

Editorial materials will not be influenced by advertisement. Readers can criticize the advertisement by sending it to the office. Advertisement will appear in the print or online version depending on request. For all inquiries, contact the Medical Journal of Indonesia editorial office at Faculty of Medicine Universitas Indonesia, Jalan Salemba Raya 6, Jakarta Pusat 10430, Indonesia; telp: +62-811-400-115; e-mail: mji@ui.ac.id.

Copyright Notice

Faculty of Medicine Universitas Indonesia as publisher reserves the right of first publication of all published material and licensed under a Creative Commons Attribution-NonCommercial 4.0 International License (<http://creativecommons.org/licenses/by-nc/4.0/>). All statements in articles are the responsibility of the authors.

Subscription

The printed issue should be subscribed for a full calender year. The price per volume (four issues) and surface postage included: international USD 160, for ASEAN countries USD 100, for Indonesia IDR 400,000.

Editorial Board

Editor-in-chief	Agus Rizal A.H. Hamid Indonesia	
Editor-in-chief Emeritus	Isnani A.S. Suryono Indonesia	
Deputy Editor-in-chief	Nafrialdi Indonesia	
Managing Editor	Felix F. Widjaja Indonesia	
Editorial Board Members	Agnes Kurniawan Indonesia Aria Kekalih Indonesia Bambang B. Siswanto Indonesia David H. Garabrant USA Farrokh Habibzadeh Iran Grace Wangge Indonesia Hak Hotta Japan Hans-Joachim Freisleben Germany Hans-Jürgen Mägert Germany Harrina E. Rahardjo Indonesia Inge Sutanto Indonesia Jeanne A. Pawitan Indonesia Jörg Haier Germany Knut Adermann Germany	Laurentius A. Pramono Indonesia Markus Meyer Germany Melva Louisa Indonesia Nia Kurniati Indonesia Pradana Soewondo Indonesia Rianto Setiabudy Indonesia Saleha Sungkar Indonesia Sentot Santoso Germany Sri W.A. Jusman Indonesia Theddeus O.H. Prasetyono Indonesia Vivian Soetikno Indonesia Wilfred C.G Peh Singapore Yuditiya Purwosunu Indonesia
Associate Editor	Apriani Oendari Indonesia Ari Savitri Indonesia	Hariyono Winarto Indonesia
Assistant Editor	Albert Sedjahtera Indonesia Fekhaza Alfarissi Indonesia Harun W.K. Putra Indonesia Hasna Afifah Indonesia	Novi A. Anggraeni Indonesia Ririn R. Febri Indonesia Umar H. Raharja Indonesia Windu C.H. Notonagoro Indonesia
Production editor	Maylia Putri Indonesia	Maytias Tri Pratiwi Indonesia
Business Manager	Jose R.L. Batubara Indonesia	
Language Editors	Hans-Joachim Freisleben Germany	Elysabeth Muliawan Indonesia
Layout Editor	Dania Clarisa Indonesia	
Editorial office	Medical Journal of Indonesia Jl. Salemba Raya 6, Jakarta Pusat 10430, Indonesia Tlp: +62 8111400115 E-mail: mji@ui.ac.id	
Publisher	Faculty of Medicine Universitas Indonesia Jl. Salemba Raya 6, Jakarta Pusat 10430, Indonesia Tlp/fax: +62 21-3912477 E-mail: humas@fk.ui.ac.id	

Medical Journal of Indonesia

TABLE OF CONTENTS

Volume 27, Number 4, December 2018, page 221–310, pISSN: 0853-1773, eISSN: 2252-8083

Editorial

- M. Louisa **Effective and safe pharmacotherapy for pediatric population: a call for academia to conduct clinical research** 221

Basic Medical Research

- C. Praditi
A.R. Prijanti
S.W.A. Jusman
M. Sadikin **Relative hypoxia and oxidative stress in spleen lymphocytes of immunized Balb/c mice as indicated by HIF-1 α , HIF-2 α , Nrf2 expression, and glutathione peroxidase activity** 223
Immunized mice lymphocytes experienced relative hypoxia and oxidative stress as indicated by elevated levels of HIF-1 α , HIF-2 α , and Nrf2.

Clinical Research

- M.H.K. Niya
F.S. Tameshkel
M. Alemrajabi
M. Taherizadeh
M. Keshavarz
M. Rezaee
H. Keyvani **Molecular survey on Merkel cell polyomavirus in patients with colorectal cancer** 229
Merkel cell polyomavirus genome in colorectal cancer patients compared with healthy controls by real-time PCR did not find any positive results.

- Y. Siskawati
E.H. Effendi
L. Legiawati
S.L. Menaldi **Poor treatment compliance leads to a higher mutation for rifampicin resistance in multibacillary leprosy patients** 237
M. leprae resistance to rifampicin is significantly higher in patients with poor treatment compliance.

- P.A. Sekarningrum
D.K. Wati
I.G.N.M. Suwarba
I.N.B. Hartawan
D.S. Mahalini
I.B.G. Suparyatha **Early mannitol administration improves clinical outcomes of pediatric patients with brain edema** 244
The timing of mannitol administration within 24 hours and a pediatric Glasgow coma scale (PGCS) Score ≤ 3 were the predictive factors of clinical outcomes in patients with brain edema.

- S.A.M. Saghir
A.K.A. Shatar
N. Naim
A.A. Almaiman
H.S. Baqir **HemoCue against Coulter LH-750 in the estimation of hemoglobin levels of blood donors in mobile collection settings: a comparative study** 250
The new device HemoCue-301 was found to be statistically and experimentally more accurate than the HemoCue B-Hb compared to the reference method (Coulter LH-750).

- G.W.K. Duarsa
I.K.O. Krishna
P.M.W. Tirtayasa
I.W. Yudianta
K.B. Santosa
T.G.B. Mahadewa
A.A.G. Oka **Progressive sperm motility is associated with spontaneous pregnancy after varicocelectomy** 256
Progressive sperm motility before varicocelectomy is a significant factor for the occurrence of spontaneous pregnancy after varicocelectomy.

- Nafrialdi
N.M. Handini
Instiaty
I.P. Wijaya **A cost-effectiveness and safety analysis of dual antiplatelet therapy comparing aspirin-clopidogrel to aspirin-ticagrelor in patients with acute coronary syndrome** 262
Aspirin-ticagrelor is cost-effective option for MACE prevention among ACS patients but not significantly higher major bleeding compared to aspirin-clopidogrel.

L.A. Bawazier I. Stanley W. Sianipar Suhardjono	Anxiety and depression among caregivers of hemodialysis patients at the Indonesian national referral hospital About one-third of caregivers of hemodialysis patients show mental health problems which are strongly related to the proportion of every 24 hours spent on care.	271
I. Rengganis D.S. Rambe C.M. Rumende M. Abdullah	Total serum IgE levels among adults patients with intermittent and persistent allergic asthma Serum IgE levels were higher in patients with persistent asthma than in intermittent asthma	279
T.Z. Tamin N. Loekito	Aquatic versus land-based exercise for cardiorespiratory endurance and quality of life in obese patients with knee osteoarthritis: a randomized controlled trial The differences between aquatic and land-based exercise for improving cardiorespiratory endurance and quality of life in obese patients with knee osteoarthritis	284

Community Research

S. Sungkar F.B.J. Tambunan M.N. Gozali G. Kusumowidagdo S. Wahdini	The effect of albendazole toward anemia in children with soil-transmitted helminths infection in a remote and endemic area The effectiveness of albendazole in soil-transmitted helminths infection could be increased by giving a dose of 400 mg for three consecutive days.	293
--	---	-----

Case Report

F. Muslim R. Sitompul L. Edwar	<i>Acanthamoeba</i> keratitis: a challenge in diagnosis and the role of amniotic membrane transplant as an alternative therapy Rare <i>Acanthamoeba</i> infection needs to be considered as in contact lens-related corneal ulcer. Amniotic Membrane Transplantation may serve as a good alternative for keratoplasty.	299
--------------------------------------	--	-----

Brief Communication

Yuliana Y. Djuardi T. Supali	The profile of codon 200 β-tubulin gene of <i>Ascaris lumbricoides</i> L. and <i>Trichuris trichiura</i> L. from infected people in Nangapanda Sub-district, East Nusa Tenggara SNP codon 200 β -tubulin gene was not found in the worms that were examined in this study.	304
------------------------------------	---	-----

Corrigendum

I. Siramaneerat	Corrigendum: Perception of the Zika virus infection and its influence on Zika prevention practices by pregnant women at the Region 5 Health Promotion Center in Thailand	310
-----------------	---	-----

Acknowledgment of Year 2018 Reviewers	i
--	---

Index Medical Journal of Indonesia Volume 27, January–December 2018	v
--	---

Front Page: The initial clinical appearance of the left eye of 32-year-old woman showed a semi-circular central ulcer with an area of 5.8 mm with 1/3 stromal depth, surrounded by a feathery-edge infiltrate and satellite lesions; the left eye after two weeks of *Acanthamoeba* treatment, scar tissue started to form. These are published in this issue.

Contents

See the journal website for contents.

Index Medical Journal of Indonesia

Volume 27, January–December 2018

Author index

Abdullah M	(4):277–81	Hartawan I.N.B	(4):243–8
Adam A.S	(2):101–7	Hidayat M	(3):169–77
Adyaksa G	(1):33–7	Hildayani R	(2):128–33
Almaiman A.A	(4):249–54	Hotta H	(1):12–18
Amarudin	(1):3–11	Imelda	(2):87–93
Andrianti S	(2):76–81	Indriatmi W	(3):178–84
Angelina M	(1):12–18	Instiaty	(4):261–9
Antarianto R.D	(3):145–9	Irawati Y	(1):54–61
Aoki C	(1):12–18	Irianto K.A	(1):33–7
Arianti A	(1):54–61	Irwanto Y	(2):87–93
Aulia D	(3):194–200	Irwinda R	(3):155–60
Baqir H.S	(4):249–54	Jacoeb T.N.A	(3):178–84
Bardosono S	(2):128–33	Jusman S.W.A	(3):145–9
Bardosono S	(3):155–60	Jusman S.W.A	(4):223–8
Bardosono S	(3):169–77	Kartolo W.A	(1):19–25
Bardosono S	(3):194–200	Kefani P.E.P	(1):62–8
Basiri B	(2):94–100	Keshavarz M	(4):229–36
Basrowi R.W	(2):128–33	Keyvani H	(4):229–36
Bawazier L.A	(4):270–6	Krishna I.K.O	(4):255–60
Branss-Tallen C	(3):185–93	Krisnamurti D.G.B	(3):137–44
Bukkar F	(3):209–12	Krisnuhoni K	(3):161–8
Chandra D.N	(2):128–33	Kurniati N	(2):69–70
Chilmi M.Z	(1):33–7	Kusumowidagdo G	(4):291–6
Deliana P.H	(3):209–12	Lalisang T.J.M	(2):71–5
Dewi L.G.A.P	(1):38–43	Legiawati L	(4):237–42
Dhamayanti M	(3):209–12	Lisnawati	(3):137–44
Diantini N.S.E	(3):150–4	Loekito N	(4):282–90
Dilogo I.H	(2):121–7	Louisa M	(4):221–2
Dilogo I.H	(3):169–77	Lubis A.M.T	(3):169–77
Djuardi Y	(4):302–7	Lubis M	(3):194–200
Djusad S	(2):108–13	Mahadewa T.G.B	(4):255–60
Duarsa G.W.K	(4):255–60	Mahalini D.S	(4):243–8
Duda A	(3):185–93	Mansur I.G	(1):3–11
Edwar L	(4):297–301	Menaldi S.L	(4):237–42
Effendi E.H	(4):237–42	Meutia A.P	(2):108–13
Eghbalian F	(2):94–100	Mirtha L.T	(1):44–53
Farida S	(3):137–44	Moegni F	(2):108–13
Flora R	(2):76–81	Moenedjat Y	(2):71–5
Fucharoen S	(1):26–32	Mudjihartini N	(3):137–44
Giarso P	(2):121–7	Munasir Z	(3):194–200
Gozali M.N	(4):291–6	Muslim F	(4):297–301
Gunawijaya E	(1):38–43	Nafrialdi	(4):261–9
Hadisaputro S	(2):82–6	Naim N	(4):249–54
Haier J	(3):185–93	Ningsih S.S	(3):145–9
Hajizah	(1):3–11	Niya M.H.K	(4):229–36
Hakim S	(2):108–13	Novianto E	(3):178–84
Hamid A.R.A.H	(1):1–2	Nurseta T	(2):87–93
Hamid A.R.A.H	(3):135–6	Oka A.A.G	(4):255–60
Hanafi M	(1):12–18	Pandelaki J	(3):169–77
Handini N.W	(4):261–9	Pasaribu A.P	(2):101–7
Handjari D.R	(3):161–8	Pasaribu S	(2):101–7
Harahap A.R	(1):19–25	Pawitan J.A	(1):19–25
Harahap A.R	(3):169–77	Pontoh L.A.P	(3):169–77
Harbuwono D.S	(2):114–20	Praditi C	(4):223–8
Hardiany N.S	(3):145–9	Prameswari N	(3):155–60
Hartati S	(1):12–18	Pramono L.A	(2):114–20

Prijanti A.R	(4):223-8
Priyantini T	(2):108-13
Pudjiadi A.H	(3):194-200
Pujianto D.A	(1):3-11
Purwaningsih E.H	(3):137-44
Pusponegoro E.H.D	(3):178-84
Putra I.B.A.D	(1):62-8
Putri A.S	(3):155-60
Putriasih S.A	(1):26-32
Rachmawati B	(2):82-6
Rahadiani N	(3):161-8
Rahajeng	(2):87-93
Rahmayunita G	(3):178-84
Rambe D.S	(4):277-81
Ratnawati P.A.R	(2):87-93
Rengganis I	(4):277-81
Rezaee M	(4):229-36
Rihatmadja R	(3):178-84
Rooseno R.R.N	(1):62-8
Rumende C.M	(4):277-81
Ryadinency R	(2):82-6
Sabzehei M.K	(2):94-100
Sadikin M	(3):145-9
Sadikin M	(4):223-8
Saghir S.A.M	(4):249-54
Santosa K.B	(4):255-60
Santoso B.I	(2):108-13
Saragih R.A.C	(3):194-200
Sari D.H	(3):145-9
Sastroasmoro S	(1):26-32
Satari H.I	(3):194-200
Sekarningrum P.A	(4):243-8
Sekartini R	(1):44-53
Setianingsih I	(1):26-32
Shatar A.K.A	(4):249-54
Shokouhi M	(2):94-100
Sianipar I.M	(3):137-44
Sianipar W	(4):270-6
Siramaneerat I	(3):201-8
Siregar N.C	(2):71-5
Siskawati Y	(4):237-42
Sitompul R	(3):213-9
Sitompul R	(4):297-301
Soedarmono P	(1):12-18
Soeharto S	(3):150-4
Stanley I	(4):270-6
Stephanie M	(2):71-5
Stephanie M	(3):161-8
Subekti I	(2):114-20
Suhardjono	(4):270-7
Sungkar S	(3):213-9
Sungkar S	(4):291-6
Supali T	(4):302-7
Suparyatha I.B.G	(4):243-8
Suwarba I.G.N.M	(4):243-8
Syafitri I	(3):155-60
Taherizadeh M	(4):229-36
Tambunan F.B.J	(4):291-6
Tambunan T	(3):194-200
Tameshkel F.S	(4):229-36
Tamin T.Z	(4):282-90
Tirtayasa P.M.W	(4):255-60
Wahdini S	(4):291-6

Wahidiyat P.A	(1):26-32
Wanandi S.I	(1):19-25
Wanandi S.I	(3):145-9
Wati D.K	(4):243-8
Wibowo N	(3):155-60
Wibowo Y	(2):128-33
Wijaya H	(2):101-7
Wijaya I.P	(4):261-9
Wiyasa I.W.A	(2):87-93
Wiyasa I.W.A	(3):150-4
Yantie N.P.V.K	(1):38-43
Yudiana I.W	(4):255-60
Yuliana	(4):302-7
Yunir E	(2):114-20
Zulkarnain M	(2):76-81

Subject index

Antisperm antibody	(1):3-11
2D or multislice transperineal ultrasonography ..	(2):108-13
<i>Acalypha indica</i> L.	(3):137-44
<i>Acanthamoeba</i> keratitis	(4):297-301
ACL reconstruction surgery	(3):169-77
Acute	(2):76-81
Acute coronary syndrome	(4):261-9
Adolescent	(3):209-12
Aerobic	(2):76-81
Albendazole	(4):291-6
ALDH1	(3):145-9
Allergic asthma	(4):277-81
Amniotic membrane transplantation	(4):297-301
Anaerobic	(2):76-81
Anemia	(4):291-6
Anterior cruciate ligament	(3):169-77
Anxiety	(4):270-6
Apoptosis	(2):87-93
Aquatic exercise	(4):282-90
<i>Archidendron pauciflorum</i>	(1):12-8
<i>Ascaris lumbricoides</i>	(4):302-7
BDNF	(2):76-81
Blood donation	(4):249-54
Brain edema	(4):243-8
Breast cancer stem cells	(1):19-25
Cancer	(3):185-93
Cancer	(4):229-36
Cardiorespiratory endurance	(1):44-53
Cardiorespiratory endurance	(4):282-90
Caregiver	(4):270-7
Cartilage oligomeric matrix protein	(3):169-77
Cataract	(3):213-9
Catheterization	(1):38-43
C-clamp	(1):33-7
<i>Centella asiatica</i> L.	(3):137-44
Central obesity	(2):114-20
Children with ADHD	(1):44-53
Chronic kidney disease	(4):270-6
Chronic physical exercises	(2):76-81
Chronic wounds	(1):62-8
Clinical criteria	(1):26-32
Clinical outcome	(4):243-8
Clinical signs	(2):94-100
Clopidogrel	(4):261-9
Colon cancer	(3):161-8
Colorectal	(4):229-36

- Conjunctivitis (3):213-9
 Coulter LH-750 (4):249-54
 Curcumin (2):87-93
 Dengue infection (2):101-7
 Dentate gyrus (3):137-44
 Depression (4):270-6
 DHA (3):155-60
 Diabetes mellitus (2):82-6
 Digestive health (2):128-33
 Dual antiplatelet therapy (4):261-9
 Emotional (3):209-12
 Endometrial thickness (3):150-4
 eNOS (2):87-93
 EPA (3):155-60
 Epidemiology (2):114-20
 Epithelialization (1):62-8
 Eye diseases (3):213-9
 Facial trauma (1):54-61
 Fasting blood glucose (2):82-6
 Fatigue (3):185-93
 Glycocalyx degradation (3):194-200
 Granulation (1):62-8
 Grown-up congenital heart disease (1):38-43
 HADS (4):270-6
 HCC (2):71-5
 HCV (1):12-8
 HemoCue (4):249-54
 Hemodialysis (4):270-6
 Hemoglobin (4):249-54
 HIF-1 α (4):223-8
 HIF-2 α (4):223-8
 Honey (1):62-8
 Hydatidiform mole (2):87-93
 Hypoxia (3):137-44
 Indonesia (1):26-32
 Indonesia (2):114-20
 Intermittent asthma (4):277-81
 Interventions (1):38-43
 Intracranial pressure (4):243-8
 JFH-1 (1):12-8
 K6 expressions (3):178-84
 Keloid (3):145-9
 Keratitis (3):213-9
 Knee osteoarthritis (4):282-90
 Knowledge (2):128-33
 KRAS mutation (3):161-8
 Kujala score (3):169-77
 Land-based exercise (4):283-91
 LCPUFA (3):155-60
 Lead acetate (3):150-4
 Low birth weight (3):155-60
 Management (1):54-61
 Mannitol (4):243-8
 MAP post-resuscitation (1):33-7
 MDA (2):82-6
 MDA (3):150-4
 Merkel cell polyomavirus (4):229-36
 Midwives (2):128-33
 Multibacillary leprosy (4):237-42
 Naso-orbital fracture (1):54-61
 Neonates (2):94-100
 Neurotherapy (3):137-44
 Non-pharmacological interventions (3):185-93
 Nrf2 (4):223-8
 Nutrition (2):128-33
 Obesity (2):114-20
 Obesity (4):282-90
 Oct-4 (3):145-9
 Ocular complications (1):54-61
 Oxidative stress (4):223-8
 p53 (2):71-5
 Parenting (2):128-33
 PASI (3):178-84
 PDGF-AB (1):19-25
 Perception (3):201-8
 Perineal laceration (2):108-13
 Persistent asthma (4):277-81
 Physical activity (3):185-93
 Physical exercise (1):44-53
 Pill-rolling test (2):108-13
 Plasma membrane integrity (1):3-11
 Platelet lysate (1):19-25
 Poorly differentiated tumor (2):71-5
 Prediction (2):101-7
 Pregnant (3):201-8
 Proliferation (1):19-25
 Propamidine isethionate (4):297-301
 PRP (1):19-25
 Psoriasis (3):178-84
 Quality of life (4):282-90
 Real-time PCR (4):229-36
 Refractive error (3):213-9
 Relative hypoxia (4):223-8
 Reverse distal femoral locking plate (2):121-7
 Rifampicin resistance (4):237-42
 Scoring (1):26-32
 Sepsis (3):194-200
 Serrated adenocarcinoma (3):161-8
 Short stature (3):209-12
 Single nucleotide polymorphism (SNP) codon 200 .. (4):302-7
 Soil-transmitted helminths (4):291-6
 Sperm motility (4):255-60
 Spontaneous pregnancy (4):255-60
 Stemness (3):145-9
 Subtrochanteric fracture (2):121-7
 Syndecan-1 (3):194-200
 Thailand (1):26-32
 Thailand (3):201-8
 Tibial (3):169-77
 Ticagrelor (4):261-9
 Topical *Curcuma xanthorrhiza* (3):178-84
 Total serum IgE level (4):277-81
 Treatment compliance (4):237-42
Trichuris trichiura (4):302-7
 Triglycerides (2):82-6
 Triple dose (4):291-6
 Trophoblast (2):87-93
 Trozak score (3):178-84
 Tumor size (2):71-5
 Type of organism (2):94-100
 Tyrosine phosphorylation (1):3-11
 Underdeveloped districts (3):213-9
 Unstable pelvic fracture (1):33-7
 Urinary albumin: creatinine ratio (3):194-200
 Urinary tract infection (2):94-100
 Uterine (3):150-4

Vaginal delivery	(2):108-13	Yoga	(3):185-93
Varicocelelectomy	(4):255-60	Zika	(3):201-8
Viral infection	(4):229-36	Zinc	(2):82-6
Warning sign	(2):101-7	β -thalassemia/HbE	(1):26-32
WHO-5 well-being index	(3):185-93	β -tubulin gene	(4):302-7

Medical Journal of Indonesia

Instructions for Authors

Submission

The submitted manuscript should be addressed to Editor-in-chief of the Medical Journal of Indonesia. Manuscript must be submitted through online submission (<http://mji.ui.ac.id/journal/index.php/mji/about/submissions>) by registered users. You can easily register in the journal system. For further question contact us at: mji@ui.ac.id.

General Principles

As a basic requirement, all articles submitted to the Medical Journal of Indonesia must be original work, which has never been published previously and is submitted exclusively to the Medical Journal of Indonesia. They are written in the format of "Recommendations for the Conduct, Reporting, Editing and Publication of Scholarly Work in Medical Journals" (<http://www.icmje.org/>) updated August 2013 established by the International Committee of Medical Journal Editors (ICMJE). The Editorial Board reserves the right to edit all articles in aspects of style, format, and clarity. Authors may be required to revise their manuscripts for reasons of any aspect. Manuscripts with excessive errors in any aspect may be returned to authors for retyping or may be rejected. All manuscripts will be subjected to peer and editorial review.

We accept four types of articles: (1) original articles: **basic medical research**, **clinical research**, or **community research**; (2) **case report**; (3) **review article**; (4) **brief communication** (including **preliminary reports**).

Authors must also supply ICMJE conflicts of interest statement form (http://mji.ui.ac.id/journal/public/journals/1/coi_disclosure.pdf), copy of ethical approval (when needed), and final checklist (<http://mji.ui.ac.id/journal/public/journals/1/FinalChecklist.pdf>) signed by all author(s).

Templates are available on <http://mji.ui.ac.id/journal/public/journals/1/template1.dot> for original articles and <http://mji.ui.ac.id/journal/public/journals/1/template2.dot> for case report.

Study Ethics

All submitted papers containing animal experiments and/or involving human subjects should have obtained approval from an independent ethics committee. The copy of approval should be provided to editorial office as mentined above.

Publication Ethics

This journal follows guidelines from Committee on Publication Ethics (COPE) in facing all aspects of publication ethics and, in particular, how to handle cases of research and publication misconduct.

Structure and Language

Articles will be published in US English, following American spelling. Articles in English that are linguistically inadequate may be rejected. Printed manuscripts should be written double-spaced in all parts of the manuscript with margin of 2.54 cm of all sides. Articles must be submitted in the following structural order: title page and

authorship, abstract, keywords, text, conflicts of interest, acknowledgments (if any), references, tables, figures, and legends (if any).

Title Page and Authorship

The title page should contain: title of the article (concise, no abbreviations, maximum 16 words); full names of authors (without academic title); author's affiliation [name(s) of department(s) and institution(s)]; disclaimers (if any); corresponding author's name, mailing address, telephone and fax numbers, and e-mail address of the author responsible for correspondence about the manuscript (E-mail address of the coresponding author will be published along with the article); source(s) of support in the form of grants, equipment, drugs, or all of these (if any); short running title [maximum 40 characters (letter and spaces)]; word counts [A word count for the text only (excluding abstract, acknowledgments, tables, figure legends, and references)]; number of figures and tables; and synopsis (should contain one or two sentences long with maximum 25 words describing the paper or its conclusion to be published in the table of contents of the Medical Journal of Indonesia).

Authorship of articles should be limited to those who have contributed sufficiently to take public responsibility for the contents. This includes (a) conception and design, or analysis and interpretation of data, or both; (b) drafting the article or revising it critically for important intellectual content; (c) final approval of the version to be published; (d) and agreement to be accountable for all aspects of the work in ensuring that questions related to the accuracy or integrity of any part of the work are appropriately investigated and resolved.

Abstract and Keywords

The **abstract** should be prepared in English with a structured abstract maximum 250 words for biomedical, clinical, and community research articles; and unstructured maximum 150 words for case report, brief communication, and review article. They should be concise and precise with enough information, highlighting the points and importance of the article which contains: One or two sentences of background, purpose of study; methods (basic procedures, study subject selection, observational, and analytical methods); main findings or results; and principal conclusion. **Keywords** are limited to 3 - 6 words or short phrases that will allow proper and convenient indexing.

Text

The **text** should be structured as **introduction**, **methods**, **results**, and **discussion** (IMRAD). Conclusion should be stated at last sentence in the discussion. Footnotes are not advisable; their contents should rather be incorporated into the text. Use only standard abbreviations; use of nonstandard abbreviations can be confusing to readers. Avoid abbreviations in the title of the manuscript. The spelled-out abbreviation followed by the abbreviation in parenthesis should be used on first mention unless

the abbreviation is a standard unit of measurement. If a sentence begins with a number, it should be spelled out. Cite in numerical order every reference, figure and table. Use Arabic numerals in superscript to cite references in Vancouver style.

Statistical Methods

All **statistical methods** used should be describe in detail in the methods section of the manuscript. Avoid relying solely on statistical hypothesis testing, such as p values, which fail to convey important information about effect size. Define statistical terms, abbreviations, and most symbols. Specify the computer software used.

Conflicts of Interest

Conflict of interest should declare the authors' conflicts of interest, sources of support for the work, and whether the authors had access to the study data. Each author should submit a separate form from ICMJE, given above and be sent to the office at submission. The description of conflict of interest in this form will be shown in this part.

Acknowledgments

Personal **acknowledgments** should be limited to appropriate professionals who contributed to the paper, including technical help and financial or material support, also general support by a department chair-person.

Tables

Tables and its title should be presented in separate sheets. Tables should be numbered in arabic numerals, captions should be brief, clearly indicating the purpose or content of each table. Provide a footnote to each table, identifying in alphabetical order all abbreviations used. Type or print each table with double-spacing on a separate sheet of paper. Number tables consecutively in the order of their first citation in the text and supply a brief title for each. Do not use internal horizontal or vertical lines. Give each column a short or an abbreviated heading. Explain all nonstandard abbreviations and explanatory matters in footnotes, and for explanatory matters use the following symbols, in sequence: *, †, ‡, §, ||, ¶, **, ††, ‡‡, §§, ||||, ¶¶, etc. Identify statistical measures of variations, such as standard deviation and standard error of the mean. Be sure that each table is cited in the text. If you use data from another published or unpublished source, obtain permission and acknowledge that source fully.

Figures

Figures should be either professionally drawn or photographed, and submitted in a format (JPEG or TIFF) in the following resolutions [gray-scale or color in RGB (red, green, blue mode) at least 300 dpi (dots per inch). For x-ray films, scans, and other diagnostic images, as well as pictures of pathology specimens or photomicrographs, send sharp, glossy, black-and-white or color photographic prints, usually 127 x 173 mm (5 x

7 inches). Write the word "top" on the back of each figure at the appropriate place. Figures should be made as self-explanatory as possible, titles and detailed explanations belong in the legends-not on the figures themselves. Photomicrographs should have internal scale markers. Symbols, arrows, or letters used in photomicrographs should contrast with the background. Photographs of potentially identifiable people must be accompanied by written permission to use the photograph.

Figures should be numbered consecutively according to the order in which they have been cited in the text. If a figure has been published previously, acknowledge the original source and submit written permission from the copyright holder to reproduce the figure. Permission is required irrespective of authorship or publisher except for documents in the public domain. Color figures are allowed in special circumstances, provided that the author is willing to cover the cost of reproduction.

If the original size of the figures is too large, you can provide us lower quality figures on submission and good quality after the acceptance of the manuscript.

Legends for Figures

Type or print out **legends for figures** using double spacing, starting on a separate page, with Arabic numerals corresponding to the figures. When symbols, arrows, numbers, or letters are used to identify parts of the illustrations, identify and explain each one clearly in the legend. Explain the internal scale and identify the method of staining in photomicrographs.

Units of Measurement

For measurements use S.I. (System International) units. Measurements should be abbreviated (e.g. mm, kcal, etc.) in accordance to the Style Manual for Biological Sciences and using the metric system. Measurements of length, height, weight, and volume should be reported in appropriate scientific units. Temperatures should be in degrees Celsius. Blood pressures should be in millimeters of mercury (mmHg). Drug concentrations may be reported in either SI or mass units, but the alternative should be provided in parentheses where appropriate.

References

References are advisably not to exceed 25 in number but not less than 10, and should in general be limited to the last decade. Reference exceed than 25 may be accepted when it is necessary. References must be numbered in the order in which they are mentioned in the text. Use the style of the examples below, which are based on the International Committee of Medical Journal Editors (ICMJE) Recommendations for the Conduct, Reporting, Editing and Publication of Scholarly Work in Medical Journals: Sample References (http://www.nlm.nih.gov/bsd/uniform_requirements.html). The titles of journals should be abbreviated according to the style used for MEDLINE (www.ncbi.nlm.nih.gov/nlmcatalog/journals). Avoid using abstracts as references. Information from manuscripts submitted but not yet accepted should be cited in the text

as “unpublished observations” with written permission from the source. Papers accepted but not yet published may be included as references; designate the journal and add “Forthcoming”. Avoid citing “personal communication” unless it provides essential information not available publicly, name the person and date of communication, obtain written permission and confirmation of accuracy from the source of a personal communication. Authors is recommended to use reference management software, in writing the citations and references such as: Mendeley®, Zotero®, EndNote®, and Reference Manager®.

Here are some examples of the references:

1. **Standard journal article**

Up to six authors, list all the authors.

- Halpern SD, Ubel PA, Caplan AL. Solid-organ transplantation in HIV-infected patients. *N Engl J Med.* 2002 Jul 25;347(4):284-7.

More than six authors, list the first six authors, followed by et al.

- Rose ME, Huerbin MB, Melick J, Marion DW, Palmer AM, Schiding JK, et al. Regulation of interstitial excitatory amino acid concentrations after cortical contusion injury. *Brain Res.* 2002;935(1-2):40-6.

Optional addition of a database's unique identifier for the citation: [Edited 12 May 2009]

- Halpern SD, Ubel PA, Caplan AL. Solid-organ transplantation in HIV-infected patients. *N Engl J Med.* 2002 Jul 25;347(4):284-7. PubMed PMID: 12140307.
- Forooghian F, Yeh S, Faia LJ, Nussenblatt RB. Uveitic foveal atrophy: clinical features and associations. *Arch Ophthalmol.* 2009 Feb;127(2):179-86. PubMed PMID: 19204236; PubMed Central PMCID: PMC2653214.

Optional addition of a clinical trial registration number: [Added 12 May 2009]

- Trachtenberg F, Maserejian NN, Soncini JA, Hayes C, Tavares M. Does fluoride in compomers prevent future caries in children? *J Dent Res.* 2009 Mar;88(3):276-9. PubMed PMID: 19329464. ClinicalTrials.gov registration number: NCT00065988.

As an option, if a journal carries continuous pagination throughout a volume (as many medical journals do) the month and issue number may be omitted.

- Halpern SD, Ubel PA, Caplan AL. Solid-organ transplantation in HIV-infected patients. *N Engl J Med.* 2002;347:284-7.

2. **Chapter in a book**

Meltzer PS, Kallioniemi A, Trent JM. Chromosome alterations in human solid tumors. In: Vogelstein B, Kinzler KW, editors. *The genetic basis of human cancer.* New York: McGraw-Hill; 2002. p. 93-113.

3. **Homepage/Web site [Edited 12 May 2009]**

Cancer-Pain.org [Internet]. New York: Association of Cancer Online Resources, Inc.; c2000-01 [updated 2002 May 16; cited 2002 Jul 9]. Available from: <http://www.cancer-pain.org/>.

Copyright Licenses

Authors who publish with Medical Journal of Indonesia agree to the following terms:

1. Authors retain copyright and grant Medical Journal of Indonesia right of first publication with the work simultaneously licensed under a Creative Commons Attribution-NonCommercial License (<http://creativecommons.org/licenses/by-nc/4.0/>) that allows others to remix, adapt, build upon the work non-commercially with an acknowledgement of the work's authorship and initial publication in Medical Journal of Indonesia.
2. Authors are permitted to copy and redistribute the journal's published version of the work non-commercially (e.g., post it to an institutional repository or publish it in a book), with an acknowledgement of its initial publication in Medical Journal of Indonesia.

Publication Fee

This journal only charges the article publication fee for all manuscript types, without any submission fee. The publication fee is US\$ 300 for foreign authors and IDR 3,000,000,- for Indonesian authors. For each printed page that contains colored figure, you will be asked to pay US\$ 50 (IDR 500,000,-) each printed page more.

When the accepted manuscript has been proofread by the authors, Medical Journal of Indonesia office will send the invoice to the corresponding author and they need to complete the payment process before being published.

To enhance the research in health programme, Medical Journal of Indonesia will cover the publication fee of authors from the countries that are included in group A and group B countries of HINARI by WHO. Waiver of payment is not only limited to those countries. All authors may ask a waive, and they need to send letter of waiver to editor-in-chief explaining the importance of the study and why author(s) need to be waived. The decision is made prior to the process of the review and it is the editors' privilege to approve or reject the request.

Updated - January 2018

Medical Journal of Indonesia

Final Checklist & Submission Form

Title of article:

Type: Basic medical research Community research Review article
 Clinical research Case report Brief communication

1. Manuscript Preparation

The author(s) affirm that the material has not been previously published and that the author(s) have not transferred elsewhere any rights to the article. The author(s) have checked the manuscript to comply with the instructions for authors of Medical Journal of Indonesia and agreed to contribute for publication fee.

2. Informed Consent

The author(s) haven't suggested any personal information that may make the identity of the patient recognizable in any forms of description part, photograph or pedigree. When the photographs of the patient were essential and indispensable as scientific information, the author(s) have received the consent in writing form and have clearly stated it.

3. Human and Animal Right

In case of experimenting on human, the author(s) have certified that the process of the research is in accordance with ethical standards of Helsinki declaration, domestic and foreign committees that preside over human experiment. If any doubts is raised whether the research was proceeded in accordance with the declaration, the author(s) would explain it. In case of experimenting on animals, the author(s) have certified that the author(s) had followed the domestic and foreign guideline related to experiment of animals in a laboratory.

4. Permission Approvals

The author(s) have received consent from the author or editor the picture or the table that was quoted from other journals or books. A portion or entire of the article hasn't been published on other journals nor contributed to other journals and under review.

5. Copyright Notice

The author(s) undersigned hereby give Faculty of Medicine Universitas Indonesia as publisher the right of first publication of all published material and licensed under a Creative Commons Attribution-NonCommercial 4.0 International (<http://creativecommons.org/licenses/by-nc/4.0/>).

6. Disclosure of Conflict of Interest

Author(s) of the journal have clarified everything that interest may arise such as work, research expenses, consultant expenses, and intellectual property on the document of ICMJE form disclosure of conflicts of interest.

Full Name:

Signature:

E-mail:

Date:
